



Technicalsheet CCXL Theater

GENERAL INFO

Address

Spuikomweg 1
4381 LZ Vlissingen
+31900-2463 2489

technik

+31 6 22680886

info@ccxl.nl

www.ccxl.nl

info@tjoonkgvl.nl

www.tjoonkgvl.nl

Backstage entrance (see map)

Loading dock / Truck & bus parking

Capacity

Seated : 700

Stage

Stage size : 18m wide / 7m deep, Variable height 0 thru 0,60m .

Clearance : minimal 7m , maximal 12m.

PA Wings: none, flying facilities (2 x hoist 1000kg)

centrecluster (1 x hoist 1000kg on request)

Risers available on request.

Stage powersupply

Lights : 2 x 125A 3 phase 400V C-norm (1 in use houselights)

1 x 32A 3 phase 400V C-norm in grid

Sound : 1 x 63A 3 phase 400V C-norm

1 x 32A 3 phase 400V C-norm

Transformers available on request.

Sound limit

Due to sound level restrictions and regulations it is not allowed to exceed the following maximum sound level:

Max 105 dBA at the FOH sound desk, Leq 15 minutes.

CC XL THEATER reserves the right to reduce the sound level when necessary.

Grand piano

Available on request

Extra costs for tuning will be for account of the artist.

Fire Proof Certificates and Restrictions

There are strict regulations governing the use of pyrotechnical devices, smoke and fire effects on stage.

Please contact venue's production manager well in advance if your production involves anything like this.

All scenery, back drops etc. must be flameproof and comply with all Dutch fire and safety regulations.

The use of any kind of confetti, snow, glitter, foam or bubble machines is not allowed, unless otherwise agreed well in advance.

No Smoking

Smoking is not allowed.

Security

Standard security, no barriers, unless otherwise agreed well in advance.

CC XL Theater strongly requests the artist not to encourage the audience to take part in crowdsurfing.

Also for security reasons it is not allowed to invite members of the audience to climb the stage during the show. We expect artists' cooperation in these matters.

Runner

On request only,

please let us know well in advance.

Costs for a runner + van will be €275,- for account of the artist.

Dinner

There is an in-house restaurant at CC XL Theater.

If you have any questions regarding catering or hospitality, do not hesitate to contact venue's production manager.

Wifi/ internet

Free wireless and wired internet available in dressing room area.

Dressing rooms

2 dressing rooms available

shower and toilet available

All dressing rooms are lockable

IMPORTANT

Please make sure we receive all relevant show information no later than 6 weeks before the day of performance:

- technical rider, including stage plot and patchlist
 - lighting plot
 - hospitality rider
- backline: we will presume artist will carry all backline unless otherwise agreed
 - travel party
- technicians band will bring
 - means of transportation

Please contact venue's production manager to advance the show and to discuss the number of crew needed.

Please report any changes regarding get in time a.s.a.p. to venue's production manager, at least 7 days before the day of performance.

Extra costs due to changes after this date may be for account of the artist.

CC XL Theater are obliged to work according to the Dutch occupational health and safety regulations determined by the Dutch Labour Inspectorate. We expect you to do the same.

All riders received after aforementioned time span shall be dealt with in the best possible way, without any guarantees as to their fulfillment. All extra costs resulting from this will be charged.

Lighting Specs

Grid Stage

12 Zoom profiles 750Watt ETC ZOOM 25/50
9 Fresnells 2kW ADB SP20 with barndoors
Horizon lighting (LED)

Front Light

8 Zoom profiles 2kW ADB DS205
9 Fresnell 2kW ADB SP20 with barndoors

Dimmers

48 channels Compulite 2kW dimmers
All house lighting is single channel

Other


2 x DMX line from FOH to stage
2 x CAT 5 lines from FOH to stage
All gels are LEE

Rigging

Hoist

8 x Hoist 1000KG
(standard – 6 x hoist for lighting , 2 x hoist for audio L-R)

Trussing



1 x Main grid 7m x 15m, 30x30cm Black

Rigging adjustments allowed , contact production office.

Also more trusses.

backdrop 10 x 24m available in house.

2 x 10 x 3m

ALP lift 12m

Video

Projector

Barco projector PKG DP4K-32B
HDMI / DVI input , min. 1920x 1080p

Screen

24m wide, 10,20m height.

Audio

Per side

6 x **Alcons LR16 90***
4 x **Alcons LR14 120***
downfill
2 x **Alcons LR14 120***
2 x **Sub MTL2**
amp's **Alcons ALC 4**
EV P3000

Yamaha O1V
LAKE Contour

Monitoring

2 x **Alcons VR12**
(more available on request)

Intercom

3 x **Asl BS 15** beltpack

this is version **20150816**